

PIPE STANDS



NEW



Pipe Beveling Machines
Pipe Cutting Machines
Grinding Machines
Pipe Stands and Clamps
Pipe Purging
Plate Bevelers
Heat Exchanger, Boiler & Bundle

 **GBC UK** 
THE CUTTING & BEVELLING EXPERTS



GBC INDUSTRIAL TOOLS LTD ARE THE 'PIPE EQUIPMENT SPECIALISTS' FOR THE SUPPLY OF PIPEWORK EQUIPMENT AND TOOLS.

Over the past 30 years our parent company GBC Industrial Tools Spa, has established itself as one of the worlds leading manufacturers of portable pipework machinery, due to its consistent high level of quality, both in product and service. We are pleased to be part of that team.

GBC has established an extensive distribution network to industries across the world. These industries include:

- Petrochemical
- Offshore
- Power Generation
- Heat Exchange Manufacture/ Repair
- Boiler Industry
- Ship Building and Repair
- Nuclear
- General Fabrication
- Site Services



GBC Industrial Tools offer a comprehensive range of on-site machining services, please check with our office for your specific requirements.

This brochure has been designed to give you a brief introduction to our extensive range of products.



Registered address: 7 Drakes Drive, Crendon Business Park
Long Crendon, HP18 9FE

Registered in England & Wales. Registration no. 08966210
VAT no. 190019919

PJ3 PIPE JACKS

- 1,000kg / 2,205lbs load capacity
- Choice of fixed base or folding leg base
- Folding legs allow for easy storage and transportation
- Comprehensive range of head types
- Adjustable in height from 27"-48" (71cm-122cm)
- Independently load tested

STD V-HEAD OPTIONS

Three leg height adjustable pipe stands



Base Units



PART NO.		WEIGHT KG / LBS	PIPE SIZE
PJ3FXB	FIXED LEG	7.0 / 15.4	up to 12"
PJ3FLB	FOLDING LEG	7.0 / 15.4	up to 12"

Vee-Head



PART NO.	LOAD CAPACITY KG / LBS	WEIGHT KG / LBS	PIPE SIZE
PJ3V	1,000 / 2,205	3.4 / 7	up to 12"

Steel Wheels



PART NO.	LOAD CAPACITY KG / LBS	WEIGHT KG / LBS	PIPE SIZE
SWK3	1,000 / 2,205	3.4 / 7	1"-12"
SWK3SS	1,000 / 2,205	3.4 / 7	1"-12"

Pipe Roller Head

Steel Wheels



PART NO.	LOAD CAPACITY KG / LBS	WEIGHT KG / LBS	PIPE SIZE
SWK350	1,000 / 2,205	4.9 / 11	1"-24"
SWK350SS	1,000 / 2,205	3.4 / 7	1"-24"

Nylon Wheels



PART NO.	LOAD CAPACITY KG / LBS	WEIGHT KG / LBS	PIPE SIZE
NWK3*	450 / 992	2 / 5	1"-12"

Pipe Roller Head

Nylon Wheels



PART NO.	LOAD CAPACITY KG / LBS	WEIGHT KG / LBS	PIPE SIZE
NWK350	450 / 990	4.9 / 11	1"-24"

Ball Transfers



PART NO.	LOAD CAPACITY KG / LBS	WEIGHT KG / LBS	PIPE SIZE
BTK3	600 / 1320	2.5 / 6	1"-12"
BTK3SS*	600 / 1320	2.5 / 6	1"-12"

Stainless Steel



PART NO.	LOAD CAPACITY KG / LBS	WEIGHT KG / LBS	PIPE SIZE
SSC3*	1,000 / 2,205	1.0 / 2	1"-12"

Roller Bar Head



PART NO.	LOAD CAPACITY KG / LBS	WEIGHT KG / LBS	PIPE SIZE
RBH	1000 / 2205	4.25 / 9	1/8"-10" Flat

Pipe Hold Down Kit



PART NO.	LOAD CAPACITY KG / LBS	WEIGHT KG / LBS	PIPE SIZE
HDK12	N/A	7 / 16	1"-12"

LARGE V-HEAD OPTIONS

- 1,000kg / 2,205lbs load capacity
- Choice of fixed base or folding leg base
- Folding legs allow for easy storage and transportation
- Comprehensive range of head types
- Adjustable in height from 27"-48" (71cm-122cm)
- Independently load tested



Large Vee-Head



PART NO.	LOAD CAPACITY KG / LBS	WEIGHT KG / LBS	PIPE SIZE
LVH	2,000 / 4,410	7.6 / 17	up to 24"

Ball Transfers



PART NO.	LOAD CAPACITY KG / LBS	WEIGHT KG / LBS	PIPE SIZE
BTK5	600 / 1320	2.3 / 5	1"-24"
BTK5SS	600 / 1320	2.3 / 5	1"-24"

Steel Wheels



PART NO.	LOAD CAPACITY KG / LBS	WEIGHT KG / LBS	PIPE SIZE
SWK4	2,000 / 4,410	3 / 6	1"-24"
SWK4SS	2,000 / 4,410	3 / 6	1"-24"

Stainless Steel Sleeves



PART NO.	LOAD CAPACITY KG / LBS	WEIGHT KG / LBS	PIPE SIZE
SSC4	1,000 / 2,205	1 / 2	1"-24"

Nylon Wheels



PART NO.	LOAD CAPACITY KG / LBS	WEIGHT KG / LBS	PIPE SIZE
NWK4	450 / 990	1.8 / 4	1"-24"

Hold Down Device




PART NO.	LOAD CAPACITY KG / LBS	WEIGHT KG / LBS	PIPE SIZE
HDK24	N/A	7 / 16	1"-24"

PJ4 MULTI STAND

Height adjustable, multi function, pipe roller stand

- Height adjustable with two fine adjusters
- Maximum weight load: 2000 kgs
- Maximum pipe diameter: 48"
- 'Bolt On' head unit can be utilised as a floor or bench unit



Bolt On Wheel Carrier Options

PJ4 Base Unit



PART NO.	LOAD CAPACITY KG / LBS	WEIGHT KG / LBS	PIPE SIZE
PJ4B	2,000/4400	20/45	up to 48"

Bolt On Wheel Carrier



PART NO.	LOAD CAPACITY KG / LBS	WEIGHT KG / LBS	PIPE SIZE
RPS4	2,000 / 4,400	3.4 / 7	up to 48"

Wheel Kit Options



PART NO.	LOAD CAPACITY	WEIGHT	
SWK3	2,000 kg	3.4 / 7	Steel
SWK3SS	2,000 kg	3.4 / 7	Stainless
NWK3	450 kg	2 / 5	Nylon




Ball Transfers



PART NO.	LOAD CAPACITY	WEIGHT	
BTK3	600 kg	2.5 kg	Steel
BTK3SS*	600 kg	2.5 kg	Stainless



Large V Head Options

Large Vee-Head	Stainless Steel Sleeves	Hold Down Device	
			
LVH	SSC5	HDK36	
PART NO.	LOAD CAPACITY	WEIGHT	PIPE SIZE
LVH	2,000 kg	7.6 kg	1"-36"
SSC4	2,000 kg	1 kg	1"-36"
HDK36	N/A	7 kg	1"-36"

Large V Head Wheel Kit Options



PART NO.	LOAD CAPACITY	WEIGHT	PIPE SIZE
SWK4	2000kg	3.0kg	1"-36"
SWK4SS	2000kg	3.0kg	1"-36"
NWK4	450kg	1.8kg	1"-36"

PJ4 MULTI STAND

Height adjustable, multi function, pipe roller stand



Small V Head Options

Vee-Head



PART NO.	LOAD CAPACITY KG / LBS	WEIGHT KG / LBS	PIPE SIZE
PJ3V	1,000 / 2,205	3.4 / 7	up to 12"

Stainless Steel Sleeves



PART NO.	LOAD CAPACITY KG / LBS	WEIGHT KG / LBS	PIPE SIZE
SSC3*	1,000 / 2,205	1.0 / 2	1"-12"

Wheel Kit Options



PART NO.	LOAD CAPACITY	WEIGHT	PIPE SIZE
SWK3	2,000 kg	3.4 / 7	1"-12"
SWK3SS	2,000 kg	3.4 / 7	1"-12"
NWK3	450 kg	2 / 5	1"-12"

Ball Transfers



PART NO.	LOAD CAPACITY	WEIGHT	PIPE SIZE
BTK3	600 kg	2.5 kg	1"-12"
BTK3SS*	600 kg	2.5 kg	1"-12"



Roller Bar Head Options



PART NO.	LOAD CAPACITY KG / LBS	WEIGHT KG / LBS	ROLLER
RBH4	1000 / 2205	4.25 / 9	STEEL
RBH4SS	1000 / 2205	4.25 / 9	STAINLESS
RBH4N	1000 / 2205	4.25 / 9	NYLON

Pipe Roller Head Options



PART NO.	LOAD CAPACITY KG / LBS	WEIGHT KG / LBS	PIPE SIZE
SWK350	1,000 / 2,205	4.9 / 11	1"-12"
SWK350SS	1,000 / 2,205	3.4 / 7	1"-12"
NWK350	450 / 990	4.9 / 11	1"-12"

PJQ 'QUATTRO' STANDS

Heavy duty pipe stands for large diameter and heavy wall pipe

Features and advantages

- Weight certified to 2500kg
- For pipe up to 36" diameter
- Variety of head options
- Optional castor wheel for pipe transportation
- Height adjustable
- Suitable for carbon or stainless steel

The Quattro Heavy Duty Pipe Stands are the ideal solution for heavy duty pipe handling, in the workshop or for site applications.

The Large Vee Head, heavy duty base and variety of head options make the Quattro the most durable and versatile pipe stand on the market.

The Quattro stand can be used as a simple jack stand, supplied as standard with levelling pads to accommodate uneven working surfaces. Weight load tested to 2500kgs per stand, the Quattro stands can also be supplied with lockable castor wheels so pipes of up to 36" diameter can be moved around a workshop or site.



Transport pipe around the site or workshop with ease

QUATTRO STAND HEAD OPTIONS

Heavy duty pipe stands for large diameter and heavy wall pipe

Base Unit

(complete with levelling pads)



PART NO.	LOAD CAPACITY	WEIGHT	PIPE SIZE
PJQB	2500kg	10kg	

Large Vee-Head



PART NO.	LOAD CAPACITY	WEIGHT	PIPE SIZE
LVH	2500kg	7.5kg	1"-36"

Wheel Kit Options



PART NO.	LOAD CAPACITY	WEIGHT	PIPE SIZE
SWK4	2000kg	3.0kg	1"-36"
SWK4SS	2000kg	3.0kg	1"-36"
NWK4	450kg	1.8kg	1"-36"

Ball Transfer Kits



PART NO.	LOAD CAPACITY	WEIGHT	PIPE SIZE
BTK4	600kg	2.3kg	1"-36"
BTK4SS	600kg	2.3kg	1"-36"

Hold Down Device



PART NO.	LOAD CAPACITY	WEIGHT	PIPE SIZE
HDK36	N/A	7kg	1"-36"

Stainless Steel Sleeves



PART NO.	LOAD CAPACITY	WEIGHT	PIPE SIZE
SS4	2500kg	1.0kg	1"-36"

Roller Wheel Kit



PART NO.	LOAD CAPACITY	WEIGHT	PIPE SIZE
RWK4	2000kg	11kg	N/A

PJ1 'UNO' PIPE STAND

The PJ1 Stand is a basic single tubed pipe stand, simple to use and easy to set-up.

A favourite for low level work in all fab shops.
heights from 7" (18cm) to 28" (72cm).

Optional roller heads from the PJ3 series can also be fitted to the Vee Head of the PJ1 Stand to suit varying applications.

PART NO.	MIN/MAX HEIGHT INCHES	MIN/MAX HEIGHT METRIC
PJ1-1	7"-10.25"	175-260mm
PJ1-2	10"-15.5"	250-395mm
PJ1-3	15.5"-22.5"	395-570mm
PJ1-4	21.5"-28"	545-715mm



RPS4 PIPE ROLLER STAND

The RPS4 is a versatile floor or bench mountable pipe roller stand for pipe up to 48" diameter.

- Choice of steel, stainless steel or nylon wheels.
- Wheels are interchangeable and can be utilised on PJ3 & PJ4 stands.
- Wheels are independently adjustable
- The RPS4 also bolts onto the PJ4 base unit to make a 4 leg, trestle style pipe roller stand.



PART NO.	DESCRIPTION	LOAD CAPACITY KGS
RPS4SW	RPS4 C/W STEEL WHEELS	2000
RPS4SS	RPS4 C/W STAINLESS STEEL WHEELS	2000
RPS4NW	RPS4 C/W NYLON WHEELS	450

RPS6 HEAVY DUTY ROLLER STANDS

These heavy duty stands are designed to be either floor or bench mounted. Available with 4 head styles to suit pipes from 4" to 48"



PART NO.	HEAD STYLE	LOAD CAPACITY KG / LBS	WEIGHT KG / LBS
RPS6B	Base unit only		5.8 / 13
SWK6	Pair steel wheel heads	2,200 / 4,850	3.4 / 7
NWK6	Pair nylon wheel heads	450 / 990	2.2 / 5
BTK6	Pair ball transfer heads	450 / 990	3.8 / 8
FTK6N	Pair feed through roller Nylon	450 / 990	3.5 / 6
FTK6S	Pair feed through roller. Steel	2,200 / 4,850	3.8 / 8

RPS8 FEED THRU ROLLER STANDS

Features

- Free standing or In-trench options
- Differing trench widths accommodated
- Multi positional
- Rubber coated rollers minimise pipe damage
- Three sizes available to suit pipes from 63mm to 1200mm



ADJUSTABLE WIDTH



FREE STANDING



TYPICAL APPLICATION

PART NO.	PIPE DIAMETER RANGE	LOAD CAPACITY	WEIGHT
RPS8-1	63 - 355mm	200kg	5kg
RPS8-2	250 - 630mm	1000kg	12kg
RPS8-3	500 -1200mm	1000kg	13kg
RPS8-4	63 - 355mm	200kg	6kg
RPS8-5	1500mm	2000kg	90kg

PIPE BUGGY

Max Pipe diameter: 12"

Max Pipe length: 6.1m

Max Pipe weight: 450kg / 990lbs



Features:

- Flat free tyres
- Ratchet hold down strap to secure pipe
- Quick disconnecting handle for easy storage

The Pipe Buggy offers a safe method of handling and moving pipes around the workshop or site easily, avoiding damage to the pipe as a result of it being dragged along the ground.

At only 31.8kg / 70lbs it is a light weight yet robust solution to pipe handling problems. With its innovative handle and ratchet strap it allows the operator to lift the pipe from the floor onto the buggy with minimal effort.

PART NO.	DESCRIPTION	HEIGHT		WIDTH		WIDTH BETWEEN WHEELS		LENGTH		WEIGHT	
		INCH	CM	INCH	CM	INCH	CM	INCH	CM	KG	LBS
PB1	Pipe Buggy	21	53	28	71	16	41	28	71	31.8	82

PIPE TRANSPORTER



Originally designed to create a bespoke transport solution for a pipework installation project, this motorised trolley is ideal for securely moving heavy pipes and tubes around congested sites.

The GBC Pipe Transporter can effortlessly carry loads up to 400kg over rough uneven ground and across gradients of 30° thanks to its large pneumatic tyres. This tow truck can travel up to 12 miles on one battery charge with pipework held in place by V-shaped supports on the trolley bed.



Features:

- 400kg load
- 240V battery charger included
- 'Body bump' safety feature
- Dimensions: 600mm (h) x 750mm(w) x 1800mm (l)
- Weight: 150kg



GBC Industrial Tools Ltd
7 Drakes Drive
Crendon Business Park
Long Crendon
HP18 9FE

T: 01844 201 555

F: 01844 201 454

sales@gbc-uk.com

www.gbc-uk.com